BL/TZ INFORMATION

No.2020-0047 2020/3/9 Blitz Co., Ltd.

Additional Applications







Product Composition (TUNERS KIT)

[Product Characteristic]


- Actuator type metal flow turbine specifically designed for the 86/BRZ.
- With a maximum output of 260PS and 300 N·m of torque, forceful acceleration can be obtained all the way to redline. (Stock engine with BLITZ ECU settings.)
- BLITZ original B06-380R turbine has been employed.
 The compressor housing has been specially coated to limit corrosion and wear.
- Equipped with turn-buckle type actuator.
- The kit includes a catalyzer to pass the Japanese emission standards. The TUNER KIT includes all parts necessary for installation. The STARTUP KIT includes turbo specific ECU. The FULL KIT contains the SBC type S boost controller.

Information on Compatible Vehicles								
(Vehicle)	(Model Year)	(Model)	(E/G Model)	(T/M)	(Remarks)			
BRZ	19/4-	ZC6	FA20	MT	Compatible with 4BA Emission Code			

^{*}Compatible with new WLTC emission standard 86 MT with 4BA emission code. For further information on vehicle compatibility please check the table below.

TURBO SYSTEM Product Composition							
(Product Name)	(Catalyzer)	(ECU)	(Boost Controller)	(MSRP)	(Code No.)	(JAN Code)	
W/O CATA	Not Included	Not Included	Not Included	¥370,000	10203	4959094102038	
TUNERS KIT	Included	Not Included	Not Included	¥370,000	10202	4959094102021	
STARTUP KIT	Included	TUNING EMU (Turbo Specific)	Not Included	¥430,000	10201	4959094102014	
FULL KIT	JLL KIT Included TUNING EMU (Turbo Specific)		SBC Type S PLUS	¥450,000	10200	4959094102007	

BL/TZ INFORMATION



^{*}Boost set at 0.5×100kPa and managed with TUNING ECU.

Output may vary depending on equipped parts, fuel and ECU settings.

Information on Compatible Vehicle							
(Vehicle)	(Model Year)	(Model)	del) (E/G Model) (T/M)		TURBOSYSTEM 86/BRZ Compatibility		
	12/4-16/7	DBA-ZN6	FA20	MT	0		
				AT	0		
86	16/8-19/04	DBA-ZN6	FA20	MT	0		
00				AT	×		
	19/04-	4BA-ZN6	FA20	MT	0		
				AT	×		
	12/4-16/7	DBA-ZC6	FA20	MT	0		
				AT	0		
BRZ	16/8-19/04	DBA-ZC6	FA20	MT	0		
DRZ				AT	×		
	40/04	4DA 700	FA20	MT	0		
	19/04-	4BA-ZC6	FA20	AT	×		

^{*}Data measured with in-house dyno.

BL/TZ INFORMATION

B06-380R Turbo Specification

	200 dock Tailed Spoomodilen								
	(Name)	(Maximum Power)	Compressor Wheel			Turbine Wheel			
			trim	In Dia(mm)	Ex Dia(mm)	trim	In Dia(mm)	Ex Dia(mm)	
	B06-380R	380 HP	60.7	53	68	76.6	56	49	

Optional Parts (Sold Separately)

Modified and welded engine oil pan to shorten installation time of the TURBO SYSTEM.

Product Information							
(Product Name)	(MSRP)	(Code No.)	(JAN Code)				
Modified Oil Pan 86/BRZ	¥20,000	10186	4959094101864				



*Since this product increases output substantially, the durability of vehicle components such as the engine and body may decrease. We do not provide warrantee for any vehicle parts.

The ECU is not available for overseas customers.

Compatibility with overseas vehicles has not been confirmed.

For more information on this product and our other lineup, please check our website shown below.