

Additional applications for the DAMPER ZZ-R has been confirmed
for the NISSAN AURA/AURA NISMO (FSNE13) 4WD

DAMPER ZZ-R

Suspension Kit equipped with Full Length Adjustability and 32 Levels of Damping Force Adjustments. Wide range adjustability can finely balance driving performance and ride quality to meet your needs from the street to the circuit

[Click here for further details on DAMPER ZZ-R](#)



Front : 13mm Down / Rear : 12mm Down

(Vehicle)	(Model Year)	(Model)	(Engine Model)	(Code No.)	(JAN Code)
NISSAN					
AURA	2021/08-	FSNE13	HR12-EM47-MM48	92675	4959094926757
AURA NISMO	2024/07-				

Product Description

[Click here for price and availability](#)

- Mono-tube adjustable coil over suspension kit.
- Employs 32 levels of damping force adjustability.
- Compatible with a wide range a circumstance from the street to the circuit.
- Aluminum upper mount, lock seat, and brackets have been utilized to maximize strength while minimizing weight.
- φ44 Mono-tube structure allows a fine balance of structural rigidity and smooth ride quality.

Product Specification		
	Front	Rear
Damping Force Adjustability	32 Levels	32 Levels
Length Adjustment	○	○
Shock Absorber Structure	Coilovers	Separate
Upright or Inverted	Upright	Upright
Upper Mount	Stock	Stock
Spring Rate kgf/mm	5.0	6.0
Free Length of Spring mm	200	200
Spring Type※	ST	BS
Ride Height Adjustability mm	-40 ~ 0	-20 ~ 0



- Remarks : 4WD Only. Rear panels must be removed or modified for proper installation. Ride height data from AURA NISMO.
- Unchecked with assistive vehicles.
- ※Abbreviation for Spring Types 「ST : ID62 Straight Spring」 , 「BS : Barrel or Tapered, Vehicle Specific Springs」
- ※Adjustability in ride height may vary between vehicles.

Optional Parts		
Product Name	Code No.	Remarks
DSC PLUS Vehicle Specific Set TYPE-I	15244	Upgrade to the DSC Plus with the vehicle specific set

DAMPER ZZ-R Spec & Vehicle Information



Data taken from in house measurements. Measurements for the vehicle height may differ depending on the vehicle's grade and options. The distance from the ground to fender may differ even when your vehicle is set at the same measurements as the test vehicle. Please use the following data as a reference and adjust your vehicle height accordingly.

メーカー (Manufacturer)	車名 (Vehicle Name)	型式 (Model)	年式 (Model Year)	グレード (Grade)
NISSAN	AURA NISMO	FSNE13	2024年10月	NISMO tuned e-POWER 4WD

確認車両情報

		フロント (Front)	リア (Rear)	備考 (Remarks)
車両情報 (Vehicle Information)	車重(kg) (Vehicle Weight)	1400		
	軸重(kg) (Axle Weight)	820	580	
	タイヤサイズ (Tire Size)	205/50R17	205/50R17	
	ホイールサイズ (Wheel Size)	17inch 7.0J Inset42	17inch 7.0J Inset42	
	レバ-比 (Lever Ratio)	1.0	1.1	
アライメントデータ (Alignment Data)	トー (Toe)	+0°01'	+0°14'	
	キャンバー (Camber)	-1°12'	-1°46'	
	キャスター (Caster)	+6°25'	-	

DAMPER ZZ-R Spec.

		フロント (Front)	リア (Rear)	備考 (Remarks)
DAMPER ZZ-R 仕様(Spec.)	スプリングレート(kgf/mm) (Spring Rate)	5.0	6.0	
	スプリング自由長(mm) (Free Length of Spring)	200	200	
	スプリング内径(mm) (Spring Inner Diameter)	φ62	φ62.5 - (φ120) - φ67	
	減衰力調整段数 (Damping force Adjustment)	1段 ~ 32段 (HARD) (SOFT)	1段 ~ 32段 (HARD) (SOFT)	DSC Plus装着時 32,64,96段へ変更可能
	地面〜フェンダー(mm) (Ground〜Fender)	643	650	
	基準車高(mm) (Difference from Stock)	-13	-12	
	車高調整範囲(mm) (Height Adjustment Range)	-40 ~ 0	-20 ~ 0	
	最低地上高(mm) (Minimum Ground Clearance)	116mm (ボディフレームボルト頭)		

初めてご使用される際の推奨減衰力 (Recommended Damping force)	20段	24段	左記に記載の減衰に合わせて からご使用ください
---	-----	-----	----------------------------

※Product shipped at damping force of 16. Turn the dial all the way to the right for level 1 which is the hardest.
※During installation turn the dial all the way to the right and then make adjustment towards the left accordingly

Product Description

- Spring rate and shock absorber length has been optimized for 4WD vehicles.
- Front short stabilizer links are included in the kit.
- Lower the center of gravity to limit body roll and enhance cornering performance.
- Bump stroke, rebound stroke has been balanced for a more comfortable ride quality.
- Make adjustments to the damping force to optimize ride quality depending on number of passenger and road condition.
- By installing the Optional DSC PLUS vehicle specific kit, the damping force can be easily adjusted from inside the vehicle.